GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services -Water Resources Department- Allegations of dereliction and gross negligence in discharging legitimate duties by Sri P. Subrahmanyeswara Rao, Executive Engineer, Godavari Western Division, Nidadavolu - Placed under suspension – Suspension revoked and Reinstated into service - Regularization of suspension period of Sri P. Subramanyswara Rao, Executive Engineer, from 19.07.2025 to 24.08.2025 treated as 'on duty' under FR(54) (B) (3) - Orders - Issued.

WATER RESOURCES (VIG.I) DEPARTMENT

G.O.RT.No. 639 Dated: 04-12-2025

Read the following:

1. From the Chief Engineer, Godavari Delta System, Dowlaiswaram, Report, dt:18.07.2025.
2. G.O.Rt.No.374,W.R.(Vig.I) Department, dt:18.07.2025.
3. From the Chief Engineer, Godavari Delta System, Lr.No.CE/GDS/DWM/OT-2/AEE-2/46 Govt,dt:18.08.2025.
4. G.O.Rt.No.431,WR(Vig.I) Department, dt.21.08.2025.
5. G.O.Rt.No.432, WR(Ser.II) Dept., dt:22.08.2025.
6. Representation of Sri P. Subrahmanyeswara Rao, Executive Engineer, dt: 22.08.2025

*****

ORDER:

In the G.O.2nd read above, Sri P.Subrahmanyeswara Rao, Executive Engineer, Godavari Western Division, Nidadavolu was placed under suspension under Sub-rule (1) (a) of Rule 8 of Andhra Pradesh Civil Service (C.C.& A) Rules,1991 for dereliction and gross negligence in discharging legitimate duties by not taking timely action for removing the cross bund near Nidadavolu Railway Flyover Bridge and removal weed accumulated at the gate of Kakaraparru Regulator and thereby Causing Shortage Water Supply to the fields in Achanta and palakollu constituencies under Godavari Western main canal.

2. In the reference 4th read above, revoked the suspension of Sri P. Subrahmanyeswara Rao, Executive Engineer with immediate effect based on report of the chief Engineer, Godavari Delta System, Dowlaiswaram in the letter 3rd read above.

(PTO)

3. In the representation 6th read above, Sri P. Subrahmanyeswara Rao, Executive Engineer in his representation has requested the Govt., to regularize his suspension period from 19.07.2025 to 24.08.2025 as " On duty" since no disciplinary charges are framed against him and he was full exonerated from the guilt of offense.

4. Government, after careful examination of the matter, hereby regularize the suspension period of Sri P. Subrahmanyeswara Rao, Executive Engineer , Neeeru Pragathi, Irrigation Circle, Eluru, from 19.07.2025 to 24.08.2025 treated as 'on duty" under FR(54) (B) (3) and warned him to be more careful in future in attending to the duties of his post failing which action will be initiated him.

5. The Engineer-in-Chief (AW), Water Resources Department, Vijayawada shall take necessary further action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

G SAI PRASAD,
SPECIAL CHIEF SECRETARY TO GOVERNMENT.

To
Sri P. Subrahmanyeswara Rao, EE, Neeeru Pragathi, Irrigation Circle, Eluru (through the Engineer-in-Chief(AW), Water Resources Department Vijayawada).
The Engineer-in-Chief(AW), Water Resources Department, Vijayawada.
SC/SFs.

//FORWARDED:: BY ORDER//

SECTION OFFICER